

DERWENT-ACC-NO: 1999-036573

DERWENT-WEEK: 199904

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Seam sealing bitumen applicator in
esp. asphalt layers -
has piston-cylinder-unit forming
bitumen container and
dosing device

PATENT-ASSIGNEE: DENSO-HOLDING GMBH & CO[DENSIN]

PRIORITY-DATA: 1998DE-2015092 (August 22, 1998)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES	MAIN-IPC	
DE 29815092 U1	December 10, 1998	N/A
013	E01C 023/09	

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
APPL-DATE		
DE 29815092U1	N/A	1998DE-2015092
August 22, 1998		

INT-CL (IPC): E01C023/09

ABSTRACTED-PUB-NO: DE 29815092U

BASIC-ABSTRACT:

The appliance has a chassis (1) with bitumen container and dosing device, formed as a piston-cylinder unit. The container is formed as a replaceable cartridge (5), connected with one end to a discharge tube (8). The other cartridge end is closed by a sliding base (5a), which is connected to a driven piston rod (6).

The piston rod is driven via a manual tensioner device (7),
formed by a Bowden
cable (7b) connected to the piston rod and to a manual lever
(7a).

Alternatively, the piston rod may be connected to the
cartridge base via a
spring mechanism (13) acting as power accumulator.

ADVANTAGE - Simple and economical construction.

CHOSEN-DRAWING: Dwg.1/1

TITLE-TERMS: SEAM SEAL BITUMEN APPLY ASPHALT LAYER PISTON
CYLINDER UNIT FORMING
BITUMEN CONTAINER DOSE DEVICE

DERWENT-CLASS: Q41

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N1999-027536

